

MODULAR SYSTEM



- assembles quickly and easily.
- for residential and commercial use.
- ADA compliant.
- little to no maintenance.
- all aluminum construction.
- ADA handrail extensions, guardrails and gates available.
- optional handrail designs available upon request.

PRODUCT INFORMATION

Features	What's Included	Specifications
<ul style="list-style-type: none"> • 60 in. center folding ramp • Ramp easily lock into a folded upright position with spring pull locks • Ramp folds into a flat position when not in use • Ramp can be removed • Carrier tilts up when not in use. • Carrier comes standard with both class II and class III hitch inserts. • 14 slots for tie down hooks • Tough powder coat finish • Tray has a 47.75 in. x 27.75 in. of carrying area 	<ul style="list-style-type: none"> • Anti-tilt locking device • Carrier tray • Center folding ramp • Ramp bracket • Class II stinger (1-1/4 in) • Class III stinger sleeve (2 in) 	<ul style="list-style-type: none"> • Dimensions • Model Number: VH-MS • Description: Mobility Scooter carrier • Approx. Shipping Wt.: 115 lbs. • Carrying Capacity Unit: 500 lbs. • Length of carrier tray: 48 in. • Width of carrier tray: 28 in. • Height of carrier tray: 6 in. • Length of ramp: 60 in. • Width of ramp: 27.5 in. • Instruction Booklet • Lanyard Instructions

LIMITATIONS

Carrier	Hitch	Vehicle
The VH-MS carrier is designed to safely carry 500 lbs.	Most Class III hitches are rated for 500 lbs. Most Class IV hitches are rated for 1000 lbs.	Your hauling weight may be limited by your vehicle's capacity to carry a load. Click here to find the Carrying Capacity of your vehicle.

